



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered) BEFORE COMPLETING FORM ) REPORT DOCUMENTATION PAGE 1. REPORT NUMBER 12. GOVT ACCESSION NO. 3. RECIPIENT'S CATALOG NUMBER 4. TITLE (and Subtitle) 5. TYPE OF REPORT & PERIOD COVERED Ada Compiler Validation Summary Report: 19 MAR 1987 to 19 MAR 1988 TeleGen 2 Ada Compiler, Release 3.13 Sun-3 Workstation 6. PERFORMING ORG. REPORT NUMBER 7. AUTHOR(s) 8. CONTRACT OR GRANT NUMBER(s) Wright-Patterson 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 9. PERFORMING ORGANIZATION AND ADDRESS Ada Validation Facility ASD/SCOL Wright-Patterson AFB OH 45433-6503 11. CONTROLLING OFFICE NAME AND ADDRESS Ada Joint Program Office 12. REPORT DATE 19 MAR 1987 United States Department of Defense Washington, DC 20301-3081ASD/SIOL 13. NUMBER OF PAGES 30 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) 15. SECURITY CLASS (of this report) Wright-Patterson UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING N/A 16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20. If different from Report)

UNCLASSIFIED

18. SUPPLEMENTARY NOTES



19. KEYWORDS (Continue on reverse side if necessary and identify by block number)

Ada Programming language, Ada Compiler Validation Summary Report, Ada Compiler Validation Capability, ACVC, Validation Testing, Ada Validation Office, AVO, Ada Validation Facility, AVF, ANSI/MIL-STD-1815A, Ada Joint Program Office, AJPO

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

See Attached.

| DD | FURM     | 1473 | EDITION OF 1 NOV 65 IS OBSOLET |
|----|----------|------|--------------------------------|
|    | 4 344 34 |      |                                |

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

# Ada Compiler Validation Summary Report:

Compiler Name: TeleGen? Ada Compiler, Release 3.13

Host: Sun-2 Workstation

Target: Sun-2 Workstation under

Sun UNIX 4.2, Release 2.3

Sun UNIX 4.2, Release 2.3

Testing Completed 19 March 1987 Using ACVC 1.8

This report has been reviewed and is approved.

Ada Validation Facility

Georgeanne Chitwood

ASD/SCOL

Wright-Patterson AFB OH 45433-6503

explane Chetwood

Ada Validation Organization

Dr. John F. Kramer

Institute for Defense Analyses

Alexandria VA

Ada Coint Program Office

Virginia L. Castor Director

Department of Defense

Washington DC

Accession For NITS GRA&I DIFFO TAB Uninnounced Justification Distribution/ 'Tity Codes 7011 Lad/or Special

<sup>&</sup>lt;sup>®</sup>Ada is a registered trademark of the United States Government (Ada Joint Program Office).

## Ada® Compiler Validation Summary Report:

Compiler Name: TeleGen2 Ada Compiler, Release 3.13

Host: Sun-2 Workstation

Target: Sun-2 Workstation under

Sun UNIX 4.2, Release 2.3

Sun UNIX 4.2. Release 2.3

Testing Completed 19 March 1987 Using ACVC 1.8

This report has been reviewed and is approved.

Ada Validation Facility

Georgeanne Chitwood

ASD/SCOL

Wright-Patterson AFB OH 45433-6503

Hergrame Chetwood

Ada Validation Organization

Dr. John F. Kramer

Institute for Defense Analyses

Alexandria VA

Minginia L Caston
Ada Soint Program Office

Virginia L. Castor

Director

Department of Defense

Washington DC

<sup>&</sup>lt;sup>®</sup>Ada is a registered trademark of the United States Government (Ada Joint Program Office).

Ada® COMPILER
VALIDATION SUMMARY REPORT:
TeleSoft
TeleGen? Ada Compiler, Release 3.13
Sun-2 Workstation

Completion of On-Site Testing: 19 March 1987

Prepared By:
Ada Validation Facility
ASD/SCOL
Wright-Patterson AFB OH 45433-6503

Prepared For:
Ada Joint Program Office
United States Department of Defense
Washington, D.C.

<sup>&</sup>lt;sup>®</sup>Ada is a registered trademark of the United States Government (Ada Joint Program Office).

Place NTIS form here +

#### EXECUTIVE SUMMARY

This Validation Summary Report (VSR) summarizes the results and conclusions of validation testing performed on the TeleGen2 Ada Compiler, Release 3.13, using Version 1.8 of the Ada® Compiler Validation Capability (ACVC). The TeleGen2 Ada Compiler is hosted on a Sun-2 Workstation operating under Sun UNIX 4.2, Release 2.3. Programs processed by this compiler may be executed on a Sun-2 Workstation operating under Sun UNIX 4.2, Release 2.3.

On-site testing was performed 15 March 1987 through 19 March 1987 at TeleSoft in San Diego CA, under the direction of the Ada Validation Facility (AVF), according to Ada Validation Organization (AVO) policies and The AVF identified 2210 of the 2399 tests in ACVC Version 1.8 to be processed during on-site testing of the compiler. The 19 tests withdrawn at the time of validation testing, as well as the 170 executable tests that make use of floating-point precision exceeding that supported by the implementation, were not processed. After the 2210 tests were processed, results for Class A, C, D, and E tests were examined for correct Compilation listings for Class B tests were analyzed for correct diagnosis of syntax and semantic errors. Compilation and link results of Class L tests were analyzed for correct detection of errors. There were 51 of the processed tests determined to be inapplicable. remaining 2159 tests were passed.

The results of validation are summarized in the following table:

| RESULT       | CHAPTER |     |     |     |     |    | TOTAL |     |     |    |     |     |      |
|--------------|---------|-----|-----|-----|-----|----|-------|-----|-----|----|-----|-----|------|
|              | _2      | _3  | 4   | _5  | _6  |    | 8     | _9  | 10  | 11 | 12  | 14  |      |
| Passed       | 102     | 252 | 334 | 243 | 161 | 97 | 136   | 262 | 107 | 32 | 217 | 216 | 2159 |
| Failed       | 0       | 0   | 0   | 0   | 0   | 0  | 0     | 0   | 0   | 0  | 0   | 0   | 0    |
| Inapplicable | 14      | 73  | 86  | 4   | 0   | 0  | 3     | 0   | 23  | 0  | 1   | 17  | 221  |
| Withdrawn    | 0       | 5   | 5   | 0   | 0   | 1  | 1     | 2   | 4   | 0  | 1   | 0   | 19   |
| TOTAL        | 116     | 330 | 425 | 247 | 161 | 98 | 140   | 264 | 134 | 32 | 219 | 233 | 2399 |

The AVF concludes that these results demonstrate acceptable conformity to ANSI/MIL-SID-1815A Ada.

Ada is a registered trademark of the United States Government (Ada Joint Program Office).

# TABLE OF CONTENTS

| CHAPTER  | 1   | INTRODUCTION   |
|----------|---|--|
|          | 1.2<br>1.3<br>1.4                               | PURPOSE OF THIS VALIDATION SUMMARY REPORT  |
| CHAPTER  | 2   | CONFIGURATION INFORMATION  |
| •        | 2.1<br>2.2                                      | CONFIGURATION TESTED   |
| CHAPTER  | 3   | TEST INFORMATION   |
|          | 3.2<br>3.3<br>3.4<br>3.5<br>3.6<br>3.7<br>3.7.1 | TEST RESULTS       3-1         SUMMARY OF TEST RESULTS BY CLASS       3-1         SUMMARY OF TEST RESULTS BY CHAPTER       3-2         WITHDRAWN TESTS       3-2         INAPPLICABLE TESTS       3-4         SPLIT TESTS       3-4         ADDITIONAL TESTING INFORMATION       3-4         Prevalidation       3-4         Test Method       3-4         Test Site       3-5 |
| APPENDIX | A   | DECLARATION OF CONFORMANCE   |
| APPENDIX | В   | APPENDIX F OF THE Ada STANDARD   |
| APPENDIX | С   | TEST PARAMETERS  |
| APPENDIX | D   | WITHDRAWN TESTS  |

#### CHAPTER 1

#### INTRODUCTION

This Validation Summary Report (VSR) describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability (ACVC). An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard.

Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies—for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from characteristics of particular operating systems, hardware, or implementation strategies. All of the dependencies observed during the process of testing this compiler are given in this report.

The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results. The purpose of validating is to ensure conformity of the compiler to the Ada Standard by testing that the compiler properly implements legal language constructs and that it identifies and rejects illegal language constructs. The testing also identifies behavior that is implementation dependent but permitted by the Ada Standard. Six classes of tests are used. These tests are designed to perform checks at compile time, at link time, and during execution.

## 1.1 PURPOSE OF THIS VALIDATION SUMMARY REPORT

This VSR documents the results of the validation testing performed on an Ada compiler. Testing was carried out for the following purposes:

- . To attempt to identify any language constructs supported by the compiler that do not conform to the Ada Standard
- . To attempt to identify any unsupported language constructs required by the Ada Standard
- To determine that the implementation-dependent behavior is allowed by the Ada Standard

Testing of this compiler was conducted by SofTech, Inc., under the direction of the AVF according to policies and procedures established by the Ada Validation Organization (AVO). On-site testing was conducted from 15 March 1987 through 19 March 1987 at TeleSoft in San Diego CA.

#### 1.2 USE OF THIS VALIDATION SUMMARY REPORT

Consistent with the national laws of the originating country, the AVO may make full and free public disclosure of this report. In the United States, this is provided in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of this validation apply only to the computers, operating systems, and compiler versions identified in this report.

The organizations represented on the signature page of this report do not represent or warrant that all statements set forth in this report are accurate and complete, or that the subject compiler has no nonconformities to the Ada Standard other than those presented. Copies of this report are available to the public from:

Ada Information Clearinghouse Ada Joint Program Office OUSDRE The Pentagon, Rm 3D-139 (Fern Street) Washington DC 20301-3081

or from:

Ada Validation Facility
ASD/SCOL
Wright-Patterson AFB OH 45433-6503

Questions regarding this report or the validation test results should be directed to the AVF listed above or to:

Ada Validation Organization Institute for Defense Analyses 1801 North Beauregard Street Alexandria VA 22311

#### 1.3 REFERENCES

- 1. Reference Manual for the Ada Programming Language, ANSI/MIL-STD-1815A, FEB 1983.
- 2. Ada Validation Organization: Procedures and Guidelines, Ada Joint Program Office, 1 JAN 1987.
- 3. Ada Compiler Validation Capability Implementers' Guide, SofTech, Inc., DEC 1984.

#### 1.4 DEFINITION OF TERMS

ACVC The Ada Compiler Validation Capability. A set of programs that evaluates the conformity of a compiler to the Ada language specification, ANSI/MIL-STD-1815A.

Ada Standard ANSI/MIL-STD-1815A, February 1983.

Applicant The agency requesting validation.

AVF The Ada Validation Facility. In the context of this report, the AVF is responsible for conducting compiler validations according to established policies and procedures.

AVO The Ada Validation Organization. In the context of this report, the AVO is responsible for setting procedures for compiler validations.

Compiler A processor for the Ada language. In the context of this report, a compiler is any language processor, including cross-compilers, translators, and interpreters.

Failed test A test for which the compiler generates a result that demonstrates nonconformity to the Ada Standard.

Host The computer on which the compiler resides.

Inapplicable A test that uses features of the language that a compiler is not required to support or may legitimately support in a way

other than the one expected by the test.

A test for which a compiler generates the expected result. Passed test

The computer for which a compiler generates code. Target

Test

A program that checks a compiler's conformity regarding a particular feature or features to the Ada Standard. In the context of this report, the term is used to designate a single test, which may comprise one or more files.

Withdrawn test

A test found to be incorrect and not used to check conformity to the Ada language specification. A test may be incorrect because it has an invalid test objective, fails to meet its test objective, or contains illegal or erroneous use of the language.

#### 1.5 ACVC TEST CLASSES

Conformity to the Ada Standard is measured using the ACVC. The ACVC contains both legal and illegal Ada programs structured into six test classes: A, B, C, D, E, and L. The first letter of a test name identifies the class to which it belongs. Class A, C, D, and E tests are executable, and special program units are used to report their results during execution. Class B tests are expected to produce compilation errors. Class L tests are expected to produce link errors.

Class A tests check that legal Ada programs can be successfully compiled and, executed. However, no checks are performed during execution to see if the test objective has been met. For example, a Class A test checks that reserved words of another language (other than those already reserved in the Ada language) are not treated as reserved words by an Ada compiler Class A test is passed if no errors are detected at compile time and the program executes to produce a PASSED message.

Class B tests check that a compiler detects illegal language usage. B tests are not executable. Each test in this class is compiled and the resulting compilation listing is examined to verify that every syntax or semantic error in the test is detected. A Class B test is passed if every illegal construct that it contains is detected by the compiler.

Class C tests check that legal Ada programs can be correctly compiled and executed. Each Class C test is self-checking and produces a PASSED, FAILED, or NOT APPLICABLE message indicating the result when it is executed.

Class D tests check the compilation and execution capacities of a compiler. Since there are no capacity requirements placed on a compiler by the Ada Standard for some parameters--for example, the number of identifiers permitted in a compilation or the number of units in a library—a compiler may refuse to compile a Class D test and still be a conforming compiler. Therefore, if a Class D test fails to compile because the capacity of the compiler is exceeded, the test is classified as inapplicable. If a Class D test compiles successfully, it is self-checking and produces a PASSET or FAILED message during execution.

Each Class E test is self-checking and produces a NOT APPLICABLE. PASSED, or FATLED message when it is compiled and executed. However, the Ada Standard permits an implementation to reject programs containing some features addressed by Class E tests during compilation. Therefore, a Class E test is passed by a compiler if it is compiled successfully and executes to produce a PASSED message, or if it is rejected by the compiler for an allowable reason.

Class L tests check that incomplete or illegal Ada programs involving multiple, separately compiled units are detected and not allowed to execute. Class L tests are compiled separately and execution is attempted. A Class L test passes if it is rejected at link time—that is, an attempt to execute the main program must generate an error message before any declarations in the main program or any units referenced by the main program are elaborated.

Two library units, the package REPORT and the procedure CHECK\_FILE, support the self-checking features of the executable tests. The package REPORT provides the mechanism by which executable tests report PASSED, FAILED, or NOT APPLICABLE results. It also provides a set of identity functions used to defeat some compiler optimizations allowed by the Ada Standard that would circumvent a test objective. The procedure CHECK\_FILE is used to check the contents of text files written by some of the Class C tests for chapter 14 of the Ada Standard. The operation of these units is checked by a set of executable tests. These tests produce messages that are examined to verify that the units are operating correctly. If these units are not operating correctly, then the validation is not attempted.

The text of the tests in the ACVC follow conventions that are intended to ensure that the tests are reasonably portable without modification. For example, the tests make use of only the basic set of 55 characters, contain lines with a maximum length of 72 characters, use small numeric values, and place features that may not be supported by all implementations in separate tests. However, some tests contain values that require the test to be customized according to implementation-specific values—for example, an illegal file name. A list of the values used for this validation is provided in Appendix C.

A compiler must correctly process each of the tests in the suite and demonstrate conformity to the Ada Standard by either meeting the pass criteria given for the test or by showing that the test is inapplicable to the implementation. Any test that was determined to contain an illegal language construct or an erroneous language construct is withdrawn from the ACVC and, therefore, is not used in testing a compiler. The tests withdrawn at the time of validation are given in Appendix D.

#### CHAPTER 2

## CONFIGURATION INFORMATION

## 2.1 CONFIGURATION TESTED

The candidate compilation system for this validation was tested under the following configuration:

Compiler: TeleGen2 Ada Compiler, Release 3.13

ACVC Version: 1.8

Certificate Expiration Date: 2 April 1988

Host Computer:

Machine:

Sun-2 Workstation

Operating System:

Sun UNIX 4.2, Release 2.3

Memory Size:

4 megabytes

Target Computer:

Machine:

Sun-2 Workstation

Operating System:

Sun UNIX 4.2, Release 2.3

Memory Size:

4 megabytes

#### 2.2 IMPLEMENTATION CHARACTERISTICS

One of the purposes of validating compilers is to determine the behavior of a compiler in those areas of the Ada Standard that permit implementations to differ. Class D and E tests specifically check for such implementation differences. However, tests in other classes also characterize an implementation. This compiler is characterized by the following interpretations of the Ada Standard:

### . Capacities.

The compiler correctly processes tests containing loop statements nested to 65 levels, block statements nested to 65 levels, and recursive procedures separately compiled as subunits nested to 17 levels. It correctly processes a compilation containing 723 variables in the same declarative part. (See tests D55A03A..H (8 tests), D56001B, D64005E..G (3 tests), and D29002K.)

## . Universal integer calculations.

An implementation is allowed to reject universal integer calculations having values that exceed SYSTEM.MAX\_INT. This implementation does not reject such calculations and processes them correctly. (See tests D4A002A, D4A002B, D4A004A, and D4A004B.)

#### . Predefined types.

This implementation supports the additional predefined types LONG\_INTEGER and LONG\_FLOAT in the package STANDARD. (See tests B86001C and B86001D.)

#### . Based literals.

An implementation is allowed to reject a based literal with a value exceeding SYSTEM.MAX\_INT during compilation, or it may raise NUMERIC\_ERROR or CONSTRAINT\_ERROR during execution. This implementation raises NUMERIC\_ERROR during execution. (See test E24101A.)

## . Array types.

An implementation is allowed to raise NUMERIC\_ERROR or CONSTRAINT\_ERROR for an array having a 'LENGTH that exceeds STANDARD.INTEGER'LAST and/or SYSTEM.MAX\_INT.

No exception is raised by this implementation for a packe BOOLEAN array naving a 'LENGTH exceeding I'TEGER'LAST. (See test C52103X.)

A packed two-dimensional BOOLFAN array with more than INTEGER'LAST components raises CONSTRAINT ERROR when the length of a dimension is calculated and exceeds INTEGER'LAST. (See test C52104Y.)

A null array with one dimension of length greater than INTEGER'LAST may raise NUMERIC FRROR or CONSTRAINT ERROR either when declared or assigned. Alternatively, an implementation may accept the declaration. However, lengths must match in array slice assignments. No exception is raised by this implementation. (See test E52103Y.)

In assigning one-dimensional array types, the expression appears to be evaluated in its entirety before CONSTRAINT\_ERROR is raised when checking whether the expression's subtype is compatible with the target's subtype. In assigning two-dimensional array types, the expression does not appear to be evaluated in its entirety before CONSTRAINT\_ERROR is raised when checking whether the expression's subtype is compatible with the target's subtype. (See test C52013A.)

### Discriminated types.

During compilation, an implementation is allowed to either accept or reject an incomplete type with discriminants that is used in an access type definition with a compatible discriminant constraint. This implementation accepts such subtype indications. (See test E38104A.)

In assigning record types with discriminants, the expression appears to be evaluated in its entirety before CONSTRAINT\_ERROR is raised when checking whether the expression's subtype is compatible with the target's subtype. (See test C52013A.)

#### . Aggregates.

Consider the section of the section

In the evaluation of a multi-dimensional aggregate, the order in which choices are evaluated and index subtype checks are made appears to depend upon the aggregate itself. (See tests C43207A and C43207B.)

In the evaluation of an aggregate containing subaggregates, all choices are not evaluated before being checked for identical bounds. (See test E43212B.)

All choices are evaluated before CONSTRAINT\_ERROR is raised if a bound in a nonnull range of a nonnull aggregate does not belong to an index subtype. (See test E43211B.)

#### . Functions.

An implementation may allow the declaration of a parameterless function and an enumeration literal having the same profile in the same immediate scope, or it may reject the function declaration. If it accepts the function declaration, the use of the enumeration literal's identifier denotes the function. This implementation rejects the declaration. (See test E66001D.)

### . Representation clauses.

The Ada Standard does not require an implementation to support representation clauses. If a representation clause is not supported, then the implementation must reject it. While the operation of representation clauses is not checked by Version 1.8 of the ACVC, they are used in testing other language features. This implementation accepts 'SIZE and 'STORAGE SIZE for tasks and 'SMALL clauses. It rejects 'STORAGE SIZE for collections. Enumeration representation clauses, including those that specify noncontiguous values, appear not to be supported. (See tests C55B16A, C87B62A, C87B62B, C87B62C, and BC1002A.)

#### . Pragmas.

The pragma INLINE is not supported for procedures or functions. (See tests CA3004E and CA3004F.)

### Input/output.

The package SEQUENTIAL IO cannot be instantiated with unconstrained array types and record types with discriminants. The package DIRECT IO cannot be instantiated with unconstrained array types and record types with discriminants without defaults. (See tests AE2101C, AE2101H, CE2201D, CE2201E, and CE2401D.)

An existing text file can be opened in OUT\_FILE mode and can be created in both OUT\_FILE and IN\_FILE modes. (See test EE3102C.)

More than one internal file can be associated with each external file for text I/O for reading only. (See tests CE3111A..E (5 tests).)

More than one internal file can be associated with each external file for sequential I/O for reading only. (See tests CE2107A..F (6 tests).)

More than one internal file can be associated with each external file for direct I/O for reading only. (See tests CE2107A..F (6 tests).)

KKKKKK (\* \$555278) \$880000 (\* 5000000) \$1000000 Prostocensky protection (\* 500000 Protection

Temporary sequential files are given a name. Temporary direct files are given a name. Temporary files given names are not deleted when they are closed. (See tests CE2108A and CE2108C.)

#### Generics.

Generic subprogram declarations and bodies cannot be compiled in separate compilations. (See test CA2009F.)

Generic package declarations and bodies cannot be compiled in separate compilations. (See tests CA2009C and BC3205D.)

#### Chapter 3

#### TEST INFORMATION

## 3.1 TEST RESULTS

Version 1.8 of the ACVC contains 2399 tests. When validation testing of the TeleGen2 Ada Compiler was performed, 19 tests had been withdrawn. The remaining 2380 tests were potentially applicable to this validation. The AVF determined that 221 tests were inapplicable to this implementation, and that the 2159 applicable tests were passed by the implementation.

The AVF concludes that the testing results demonstrate acceptable conformity to the Ada Standard.

## 3.2 SUMMARY OF TEST RESULTS BY CLASS

| RESULT |              |            | TOTAL    |          |          |           |    |      |
|--------|--------------|------------|----------|----------|----------|-----------|----|------|
|        |              | _ <u>A</u> | <u>B</u> | <u> </u> | <u>D</u> | <u>F.</u> | L  |      |
|        | Passed       | 67         | 862      | 1171     | 17       | 11        | 31 | 2159 |
|        | Failed       | 0          | 0        | 0        | 0        | 0         | 0  | 0    |
|        | Inapplicable | 2          | 5        | 197      | 0        | 2         | 15 | 221  |
|        | Withdrawn    | 0          | 7        | 12       | 0        | 0         | 0  | 19   |
|        | TOTAL        | 69         | 874      | 1380     | 17       | 13        | 46 | 2399 |

#### 3.3 SUMMARY OF TEST RESULTS BY CHAPTER

| RESULT       |          |     | CHAPTER |     |     |    |      |     |     |     | LATOT |     |      |
|--------------|----------|-----|---------|-----|-----|----|------|-----|-----|-----|-------|-----|------|
|              | <u> </u> | 3   |         | _5  | _6  |    | 8    | 9   | 10  | _11 | 12    | 14  |      |
| Passed       | 102      | 252 | 334     | 243 | 161 | 97 | 1 36 | 262 | 107 | 32  | 217   | 216 | 2159 |
| Failed       | 0        | o   | O       | 0   | 0   | 0  | 0    | 0   | 0   | 0   | 0     | 0   | 0    |
| Inapplicable | 14       | 73  | 86      | 4   | 0   | 0  | 3    | 0   | 23  | 0   | 1     | 17  | 221  |
| Withdrawn    | 0        | 5   | 5       | 0   | 0   | 1  | 1    | 2   | 4   | 0   | 1     | 0   | 19   |
| TOTAL        | 116      | 330 | 425     | 247 | 161 | 98 | 140  | 264 | 134 | 32  | 219   | 233 | 2399 |

#### 3.4 WITHDRAWN TESTS

The second secon

The following 19 tests were withdrawn from ACVC Version 1.8 at the time of this validation:

| C32114A | C4 14 04 A | B74101B   | BC3204C   |
|---------|------------|-----------|-----------|
| B33203C | B45116A    | C87 B50 A |           |
| C34018A | C48008A    | C92005A   |           |
| C35904A | B49006A    | C940ACA   |           |
| B37401A | B4 A0 1 OC | CA3005AD  | (4 tests) |

See Appendix D for the reason that each of these tests was withdrawn.

## 3.5 INAPPLICABLE TESTS

Some tests do not apply to all compilers because they make use of features that a compiler is not required by the Ada Standard to support. Others may depend on the result of another test that is either inapplicable or withdrawn. For this validation attempt, 221 tests were inapplicable for the reasons indicated:

- . C34C01D, B52C04E, B55B09D, and C55B07B use SHORT\_INTEGER which is not supported by this compiler.
- . C34001F and C35702A use SHORT\_FLOAT which is not supported by this compiler.
- . C55B16A makes use of an enumeration representation clause containing noncontiguous values which is not supported by this compiler.

VOYONO SECONOS SECONOS SECONOS SECONOS SECONOS DECONOS PERSONA PERSONA PERSONA PERSONA PERSONA PERSONA PERSONA

- . B30001D requires a presented numeric type other than those defined by the Ada language in package DTANDARD. There is no such type for this implementation.
- . C8b001F redefines package SYSTEM, but TEXT\_ID is made obsolete by this new definition in this implementation and the test cannot be executed since the package REPORT is dependent on the package TEXT IO.
- . C87B62B uses the length clause 'STCRAGE\_SIZE for access types which is not supported by this compiler. The length clause is rejected at compile time.
- . BA1011C, CA1012A, CA2009C, CA2009F, LA5008A..H (8 tests), LA5008J, LA5008M, LA5008N, and BC3205D compile generic specifications and bodies in separate compilations which is not supported by this compiler.
- . CA3004E, EA3004C, and LA3004A use INLINE pragma for procedures which is not supported by this compiler.
- . CA3004F, EA3004D, and LA3004B use INLINE pragma for functions which is not supported by this compiler.
- LA5008I and LA5008K are inapplicable because, in this implementation, a generic unit is made obsolete by the recompilation of a unit on which the generic body (but not the specification) depends. Since this implementation does not support separate compilation of generic unit specifications and bodies, a generic specification must be considered obsolete whenever the body is found to be obsolete. These tests should report at link time that the body of a generic unit is obsolete. However, a compile-time error message reports that the generic unit is obsolete.
- . AE2101C, CE2201D, and CE2201E use an instantiation of package SEQUENTIL IO with unconstrained array types which is not supported by this compiler.
- . AE2101H and CE2401D use an instantiation of package DIRECT\_IO with unconstrained array types which is not supported by this compiler.
- . CE2107B..E (4 tests), CE2110B, CE2111D, CE2111H, CE3111B..E (4 tests), and CE3114B are inapplicable because multiple internal files cannot be associated with the same external file except when the internal files are open for reading. The proper exception is raised when multiple access is attempted.
- . The following 170 tests require a floating-point accuracy that exceeds the maximum of 15 supported by the implementation:
  - C24113L..Y (14 tests) C35708L..Y (14 tests) C45421L..Y (14 tests) C35705L..Y (14 tests) C35802L..Y (14 tests) C45424L..Y (14 tests)

```
C35706L..Y (14 tests) C45241L Y (14 tests) C45521L..Z (15 tests) C35707L..Y (14 tests) C45321L..Y (14 tests) C45621L..Z (15 tests)
```

#### 3.6 SPLIT TESTS

If one or more errors do not appear to have been detected in a Class B test because of compiler error recovery, then the test is split into a set of smaller tests that contain the undetected errors. These splits are then compiled and examined. The splitting process continues until all errors are detected by the compiler or until there is exactly one error per split. Any Class A, Class C, or Class E test that cannot be compiled and executed because of its size is split into a set of smaller subtests that can be processed.

Splits were required for six Class B tests:

| BA3006A | BA3007B | BA3008B |
|---------|---------|---------|
| BA3006B | BA3008A | BA3013A |

#### 3.7 ADDITIONAL TESTING INFORMATION

#### 3.7.1 Prevalidation

Prior to validation, a set of test results for ACVC Versic: 1.8 produced by the TeleGen2 Ada Compiler was submitted to the AVF by the applicant for review. Analysis of these results demonstrated that the compiler successfully passed all applicable tests, and that the compiler exhibited the expected behavior on all inapplicable tests.

TODICAL (CONTINUED POSSORIO POSSORIO SERVINA SERVINA SERVINA SERVINA DE CONTINUED POSSORIO PERSONA PARA

### 3.7.2 Test Method

Testing of the TeleGer. 2 Ada Compiler using ACVC Version 1.8 was conducted on-site by a validation team from the AVF. The configuration consisted of a Sun-2 Workstation operating under Sun UNIX 4.2, Release 2.3.

A magnetic tape containing all tests except for withdrawn tests and tests requiring unsupported floating-point precisions was taken on-site by the validation team for processing. Tests that make use of implementation-specific values were customized before being written to the magnetic tape. Tests requiring splits during the prevalidation testing were included in their split form on the magnetic tape.

The contents of the magnetic tape were loaded onto the disk system of a Sun-3 machine. The tests were accessed by the Sun-2 machines from the disk system of the Sun-3. The full set of tests was compiled, linked, and executed as appropriate on the Sun-2 Workstation. Results were printed

from the Sun-2 Workstation.

The compiler was tested using command scripts provided by TeleSoft and reviewed by the validation team.

Test output, compilation listings, and job logs were captured on magnetic tape and archived at the AVF. The listings examined on-site by the validation team were also archived.

## 3.7.3 Test Site

The validation team arrived at TeleSoft in San Diego CA on 15 March 1987, and departed after testing was completed on 19 March 1987.

## APPENDIX A

## DECLARATION OF CONFORMANCE

TeleSoft has submitted the following declaration of conformance concerning the TeleGen2 Ada Compiler.

#### DECLARATION OF CONFORMANCE

Compiler Implementor: TeleSoft, Inc.
Ada©Validation Facility: ASD/SCOL, Wright-Patterson AFB, OH
Ada Compiler Validation Capability (ACVC) Version: 1.8

#### Base Configuration

Base Compiler Name: TeleGen2 Ada Compiler
Host Architecture ISA: Sun-2 Workstation

Version: Release 3.13
OS&VER #: Sun UNIX 4.2.

Release 2.3

Target Architecture ISA: Sun-2 Workstation

OS&VER #: Sun UNIX 4.2,

Date: 3/17/87

Date: 3/30/87

Release 2.3

## Implementor's Declaration

I, the undersigned, representing TeleSoft, Inc., have implemented no deliberate extensions to the Ada Language Standard ANSI/MIL-STD-1815A in the compiler listed in this declaration. I declare that Sun Microsystems is the owner of record of the Ada language compiler listed above and, as such, is responsible for maintaining said compiler in conformance to ANSI/MIL-STD-1815A. All certificates and registrations for Ada language compiler listed in this declaration shall be made only in the owner's corporate name.

TeleSoft, Inc.

Raymond A. Parra, Director, Contracts/Legal

## Owner's Declaration

I, the undersigned, representing Sun Microsystems, take full responsibility for implementation and maintenance of the Ada compiler listed above, and agree to the public disclosure of the final Validation Summary Report. I further agree to continue to comply with the Ada trademark policy, as defined by the Ada Joint Program Office. I declare that all of the Ada language compilers listed, and their host/target performance are in compliance with the Ada Language Standard ANSI/MIL-STD-18:5A. I have reviewed the Validation Summary Report for the compiler and concur with the contents.

Sun Microsystems/Sun Federal Systems

Lawrence M. Baron, Product Marketing Manager

●Ada is a registered trademark of the United States Government (Ada Joint Program Office).

#### APPENDIX B

## APPENDIX F OF THE Ada STANDARD

The only allowed implementation dependencies correspond to implementation-dependent pragmas, to certain machine-dependent conventions as mentioned in chapter 13 of MIL-STD-1815A, and to certain allowed restrictions on representation clauses. The implementation-dependent characteristics of the TeleGen2 Ada Compiler, Release 3.13, are described in the following sections which discuss topics in Appendix F of the Ada Language Reference Manual (ANSI/MIL-STD-1815A). Implementation-specific portions of the package STANDARD are also included in this appendix.

package STANDARD is

• • •

type INTEGER is range -32768 .. 32767; type LONG INTEGER is range -2\_147\_483\_648 .. 2\_147\_483\_647;

type FLOAT is digits 6 range -1.93428E+25 .. 1.93428E+25; type LONG\_FLOAT is digits 15 range -2.57110087081438E+61 .. 2.57110087081438E+61;

type DURATION is delta 2.0E-14 range -86\_400.0 .. 86\_400.0;

• • •

end STANDARD;

## APPENDIX F

1. Implementation Dependent Pragmas

There is one implementation-defined pragma, COMMENT. It has the form:

```
pragma COMMENT(<string_literal>);
```

It may only appear within a compilation unit and has the effect of embedding the given sequence of characters in the object code of the compilation unit.

2. Implementation Dependent Attributes

There are no implementation dependent attributes.

3. Specification of Package SYSTEM

```
PACKAGE System IS
```

```
TYPE Address is Access Integer;
TYPE Subprogram_Value is PRIVATE;
```

```
TYPE Name IS (TeleGen2);
```

```
System Name : CONSTANT name := TeleGen2;
```

```
Storage Unit : CONSTANT := 8;
```

```
Memory Size : CONSTANT := (2 ** 31) -1;
```

-- System-Dependent Named Numbers:

```
Min_Int : CONSTANT := -(2^{**} 31);
Max_Int : CONSTANT := (2^{**} 31) - 1;
```

Max Digits: CONSTANT:= 15; Max Mantissa: CONSTANT:= 31;

Fine Delta : CONSTANT := 1.0 / (2 \*\* (Max\_Mantissa - 1)):

Tick : CONSTANT := 10.0E-3

## APPENDIX F, Cont.

-- Other System-Dependent Declarations

SUBTYPE Priority IS Integer RANGE 0 .. 63;

Max Object Size : CONSTANT := Max Int;

Max Record Count : CONSTANT := Max Int;

Max Text lo Count : CONSTANT := Max Int-1;

Max Text lo Field : CONSTANT := 1000;

PRIVATE

TYPE Subprogram Value IS

RECORD

Proc addr : Address;

Static link : Address;

Global frame : Address;

END RECORD;

END System;

4. Restrictions on Representation Clauses

The Compiler supports the following representation clauses:

Length Clauses: for tasks 'STORAGE SIZE (LRM 13.2(c))
Length Clauses: for the attribute 'SIZE (LRM 13.2(a))
Address Clauses: for objects and entries (LRM 13.5)
Length clauses: for the 'SMALL attribute for fixed point types
(LRM13.2(d))

This compiler does NOT support the following representation clauses:

Length clauses: for the 'STORAGE\_SIZE attritube for access types (LRM13.2(b))

Enumeration representation clauses (LRM 13.3):

- -- record representation clauses (LRM 13.4)
- -- address clauses for subprograms, packages, and tasks (LRM 13.5)
- 5. Implementation dependent naming conventions

There are no implementation-generated names denoting implementation dependent components.

## APPENDIX F. Cont.

- 6. Expressions that appear in address specifications are interpreted as the first storage unit of the object.
- 7. Restrictions on Unchecked Conversions

Unchecked conversions are allowed between variables of types (or subtypes) T1 and T2 provided that: 1) they have the same static size, 2) they are not unconstrained array types, and 3) they are not private.

8. I/O Package Characteristics

Instantiations of DIRECT\_IO and SEQUENTIAL\_IO are supported with the following exceptions:

- \* Unconstrained array types.
- \* Unconstrainted types with discriminants without default values.
- \* Multiple internal files opened to the same external file may only be opened for reading.
- \* In DIRECT 10 the type COUNT is defined as follow:

type COUNT is range 0..2\_147\_483\_647;

\* In TEXT\_IO the type COUNT is defined as follows:

type COUNT is range 0..2\_147\_483\_645;

\* In TEXT 10 the subtype FIELD is defined as follows:

subtype FIELD is INTEGER range 0..1000;

## APPENDIX C

## TEST PARAMETERS

Certain tests in the ACVC make use of implementation-dependent values, such as the maximum length of an input line and invalid file names. A test that makes use of such values is identified by the extension .TST in its file name. Actual values to be substituted are represented by names that begin with a dollar sign. A value must be substituted for each of these names before the test is run. The values used for this validation are given below.

| Name and Meaning   | Value                                 |
|--|---------------------------------------|
| \$BIG_ID1  Tdentifier the size of the maximum input line length with varying last character.                                 | (1199 => 'A', 200 => '1')             |
| \$BIG_ID2  Identifier the size of the maximum input line length with varying last character.                                 | (1199 => 'A', 200 => '2')             |
| \$BIG_ID3 Identifier the size of the maximum input line length with varying middle character.                                | (1100   102200 => 'A',<br>101 => '3') |
| \$BIG_ID4  Tdentifier the size of the maximum input line length with varying middle character.                               | (1100   102200 => 'A', 101 => '4')    |
| \$EIG_INT_LIT  An integer literal of value 298 with enough leading zeroes so that it is the size of the maximum line length. | (1197 => '0', 198200 => "298")        |

Name and Meaning

Value

\$BIG REAL LIT

A real literal that can be either of floating- or fixed-point type, has value 690.0, and has enough leading zeroes to be the size of the maximum line length.

(1..194 => '0', 195..200 => "69.0E1")

**\$BLANKS** 

A sequence of blanks twenty characters fewer than the size of the maximum line length.

 $(1..180 \approx ) ' ')$ 

**\$COUNT LAST** 

A universal integer literal whose value is TEXT IO.COUNT'LAST.

2\_147\_483\_645

**\$EXTENDED ASCII CHARS** 

A string literal containing all the ASCII characters with printable graphics that are not in the basic 55 Ada character set. "abcdefghijklmnopqrstuvwxyz" &
"!\$%?@[\]^`{}~"

\$FIELD LAST

A universal integer literal whose value is TEXT\_IO.FIELD'LAST.

1000

\$FILE NAME WITH BAD CHARS

An illegal external file name that either contains invalid characters, or is too long if no invalid characters exist. "X}]!@#\$^&~Y"

\$FILE\_NAME\_WITH\_WILD\_CARD\_CHAR

An external file name that either contains a wild card character, or is too long if no wild card character exists.

"XYZ#"

\$GREATER THAN DURATION

A universal real value that lies between DURATION'BASE'LAST and DURATION'LAST if any, otherwise any value in the range of DURATION. 100\_000.0

\$GREATER\_THAN\_DURATION\_BASE\_LAST

The universal real value that is greater than DURATION'BASE'LAST, if such a value exists.

10 000 000.0

| Name and Meaning  | Value               |
|---|---------------------|
| :ILLEGAL EXTERNAL FILE NAME: An illegal external file name.   | "BAD-CHARACTER#^/%" |
| \$ILLEGAL_EXTERNAL_FILE_NAME2 An illegal external file name that is different from \$ILLEGAL_EXTERNAL_FILE_NAME1.   | "BBB\*7BB"          |
| \$INTEGER_FIRST The universal integer literal expression whose value is INTEGER'FIRST.  | -2_147_483_648      |
| \$INTEGER_LAST The universal integer literal expression whose value is INTEGER'LAST.  | 2_:47_483_647       |
| \$LESS_THAN_DURATION  A universal real value that lies between DURATION'BASE'FIRST and DURATION'FIRST if any, otherwise any value in the range of DURATION. | -100_000.0          |
| \$LESS_THAN_DURATION_BASE_FIRST The universal real value that is less than DURATION'BASE'FIRST, if such a value exists.                                     | -10_000_000.0       |
| \$MAX_DIGITS  The universal integer literal whose value is the maximum digits supported for floating-point types.   | 15                  |
| \$MAX_IN_LEN The universal integer literal whose value is the maximum input line length permitted by the implementation.                                    | 200                 |
| \$MAX_INT The universal integer literal whose value is SYSTEM.MAX_INT.  | 2_147_483_647       |

## Name and Meaning

#### Value

#### **SNAME**

A name of a predefined numeric type other than FLOAT, INTEGER, SHORT FLOAT, SHORT INTEGER, LONG FLOAT, or LONG INTEGER if one exists, otherwise any undefined name.

# LONG\_LONG\_INTEGER

## \$NEG BASED INT

A based integer literal whose highest order nonzero bit falls in the sign bit position of the representation for SYSTEM.MAX INT.

#### 16#FFFFFFFE#

**\$NON ASCIT CHAR TYPE** 

An enumerated type definition for a character type whose literals are the identifier NON\_NULL and all non-ASCII characters with printable graphics.

(NON NULL)

#### APPENDIX D

DESCRIPTION OF THE PROPERTY OF

TOTAL CAN SESSION POST SELECT SECURICAN SECURIOR SECURIORS

STATES OF SECOND SECONDS

#### WITHDR IN TESTS

Some tests are withdrawn from the ACVC because they do not conform to the Ada Standard. The following 19 tests had been withdrawn at the time of validation testing for the reasons indicated. A reference of the form "AI-ddddd" is to an Ada Commentary.

- . C32114A: An unterminated string literal occurs at line 62.
- . B33203C: The reserved word "IS" is misspelled at line 45.
- . C34018A: The call of function G at line 114 is ambiguous in the presence of implicit conversions.
- . C35904A: The elaboration of subtype declarations SFX3 and SFX4 may raise NUMERIC\_ERROR instead of CONSTRAINT\_ERROR as expected in the test.
- . B37401A: The object declarations at lines 126 through 135 follow subprogram bodies declared in the same declarative part.
- . C41404A: The values of 'LAST and 'LENGTH are incorrect in the if statements from line 74 to the end of the test.
- . B45116A: ARRPRIBL1 and ARRPRIBL2 are initialized with a value of the wrong type--PRIBOOL\_TYPE instead of ARRPRIBOOL\_TYPE--at line 41.
- . C48008A: The assumption that evaluation of default initial values occurs when an exception is raised by an allocator is incorrect according to AI=00397.
- . B49006A: Object declarations at lines 41 and 50 are terminated incorrectly with colons, and end case; is missing from line 42.
- . B4A010C: The object declaration in line 18 follows a subprogram body of the same declarative part.

- . E74101E: The <u>begin</u> at line 9 causes a declarative part to be treated as a sequence of statements.
- . US7B50A: The call of "/=" at line 31 requires a use clause for package A.
- . 092005A: The "/=" for type PACK.BIG\_INT at line 40 is not visible without a use clause for the package PACK.
- . C940ACA: The assumption that allocated task TT1 will rin prior to the main program, and thus assign SPYNUMB the value checked for by the main program, is erroneous.
- . CA3005A..D (4 tests): No valid elaboration order exists for these tests.

PROCESSA ASSESSMENT PROPERTY NOOVENEED NOOVENEED NOOVENEED NOOSEN

. BC3204C: The body of BC3204CO is missing.